

THE LARGEST MANUFACTURER OF SWIMMING POOLS AND ENCLOSURES IN EUROPE SINCE 1990

## WE EXPORT TO MORE THAN 70 COUNTRIES AROUND THE WORLD



ALBIXON a.s.  
Zbraslavská 55/5a | Praha 5 | Mala Chuchle 159 00 | Czech Republic

[f/albixon](#) | [@albixon](#) | [albixon.com](#)

The catalog contains illustrative photographs. With regard to the development and improvement of products, packaging, and technological processes, ALBIXON a.s. reserves the right to change any information contained in this catalog without prior notice. Errors in typesetting and printing reserved. Published in 2025.

### POOLS AND ENCLOSURES TECHNOLOGY AND ACCESSORIES



POOL SOLUTIONS



**ISSUE 03/26**  
Download  
the latest version  
of the catalog online



**TECHNICAL CATALOGUE**  
Download  
the latest version  
of the catalog online



**CUSTOMER SUPPORT**  
**+420 477 070 711**  
[export@albixon.com](mailto:export@albixon.com)



reddot winner

# CONTENTS

## SWIMMING POOLS AND SWIMMING POOL SETS

A Swimming Pool Set.....	10
Overflow Pools.....	18
Skimmer Pools.....	22
Quality materials are a must .....	26
Step Shapes .....	28

## TECHNOLOGY

Technology Walls.....	34
Technology Shafts .....	36

## ENCLOSURES

BERGEN .....	42
SYDNEY / SYDNEY CLEAR .....	44
SYDNEY / SYDNEY CLEAR .....	46
CASABLANCA INFINITY.....	48

## ENCLOSURES

CASABLANCA INFINITY SKY.....	50
DALLAS / DALLAS CLEAR .....	52
DALLAS SKY CLEAR .....	54
KLASIK PRO / KLASIK PRO CLEAR.....	56
KLASIK / KLASIK CLEAR.....	58
KLASIK SKY CLEAR.....	60
MONACO FUTURE.....	62
CASABLANCA .....	64
DALLAS WALL-MOUNTED .....	66

## ACCESSORIES

MOOVER .....	74
Pool Accessories .....	76



# 10 REASONS TO CHOOSE ALBIXON

## Giga Factory

180,000 m<sup>2</sup> of storage and logistics space



## 35 years on the market

Experienced team of more than 300 employees



01



02

## Proven quality

More than 50,000 pools manufactured and more than 100,000 pool enclosures

03



04

## Technological edge

Largest powder coating plant in Central Europe (22,500 m<sup>2</sup>)

## Patents and innovations

More than 30 proprietary patent-protected solutions



## Service and customer care

Unrivaled service and production capacities ensure a JUST IN TIME system



## Global reach

Exporting to more than 70 countries worldwide and a network of 12 branches in the Czech Republic



05



06

## Production capacity

58,000 m<sup>2</sup> of production areas and R&D facilities

07



08

## Smart logistics

Complete pool solution using the 3-in-1 system and a unique 30-in-1 concept (up to 30 systems in a single truck)

09



10

## European holding

ALBIXON is part of the BBFH SE group, owned by the Smetana family foundation

# ABOUT US



red dot winner 2023

## A major manufacturer of swimming pools and enclosures in Europe

- ➔ A traditional Czech family company – on the market since 1990
- ➔ Over 50,000 pools and 100,000 enclosures installed
- ➔ Full customer support and service
- ➔ We export our products to up to 70 countries around the world
- ➔ 300 highly-qualified personnel
- ➔ 58,000 m<sup>2</sup> of production and storage areas
- ➔ Precise quality control
- ➔ High-capacity powder paint shop in Central Europe with modern Decoral technology
- ➔ Selected products and manufacturing processes are protected by utility models and awarded international certificates
- ➔ We have obtained a declaration of conformity for selected pool enclosures with the AFNOR NF P 90-309 standard issued by the accredited LNE testing laboratory in France
- ➔ QBIG BENEFIT pools and KLASIK, DALLAS, CASABLANCA, CASABLANCA INFINITY and MONACO FUTURE enclosures are NSF certified



# SWIMMING POOL SETS



# A SWIMMING POOL SET

A pool, enclosure, and technology in one!

Get one of our popular pool sets to benefit from a high-quality pool, an enclosure and all the necessary pool technology in a technology shaft or wall.

Choose from over **400 different combinations!**



SWIMMING POOL	TECHNOLOGY	ENCLOSURES
The heart of your water fun	The motor which drives your pool	Your pool's coat
→ seven standard sizes	→ different equipment levels	→ various designs
→ three depths	→ underground and above-ground variants	→ dozens of colours and decorative patterns
→ three colours	→ intelligent pool technology control	→ two types of panels
→ skimmer or overflow	→ various water treatment options	→ rail/railless design option
Which one will be yours? You can choose from the offer on pages 12–29.	Which design will you choose? Take a look at pages 30–37.	Which enclosure will you choose? Take a look at pages 38–71.

# SWIMMING POOLS



# WHY CHOOSE AN ALBIXON POOL?








- ➔ Control of the pool via the BRILIX mobile app (pH, water temperature, etc.)
- ➔ Your guide from pool selection to commissioning
- ➔ Wide range of pool options
- ➔ Overflow and skimmer pools
- ➔ Made in the Czech Republic
- ➔ High-quality materials developed specifically for swimming pools
- ➔ Intelligent pool technology control
- ➔ Economical water treatment
- ➔ Simple maintenance, easy winterizing and energy savings
- ➔ Modern design




# QBIG BENEFIT SERIES POOLS

## Introducing our pool solution

### What do the BENEFIT pools provide?

-  Faster construction work? Very much so!
-  Need to drain the water? Not necessary!
-  Preparation for winter? A piece of cake!
-  More economical operation? Undoubtedly!
-  Easier to maintain? Of course!
-  Our own premium-quality structure. Yes!
-  Significant construction cost savings.



### Did you know that...

The BENEFIT pools are provided with an outside thermal structure that is 25 cm thick, which after filling with concrete, serves as both a load-bearing and thermal insulating element of the pool. This helps speed up the construction and lets you enjoy your pool as soon as possible.



# OVERFLOW POOLS

A clean design, water up to the edge and the feeling of an infinite surface





The X-FLOW grid comes standard with all our QBIG BENEFIT overflow pools.



X-FLOW Grey



X-FLOW White

	STANDARD POOLS – AVAILABLE AS A SET OR INDIVIDUALLY	CUSTOMIZED POOLS – 100% CUSTOM MADE
 DIMENSIONS	3 x 5 m / 3 x 6 m / 3 x 7 m / 3,5 x 7 m / 3 x 8 m / 3,5 x 8 m / 4 x 8 m	Length: 4–9 m/Width: 2–4 m
 COLOUR	light blue, white, grey	light blue, white, grey
 DEPTH	1,2 / 1,35 / 1,5 m	1,2 / 1,35 / 1,5 m
 SHAPE	a rectangle with square corners	a rectangle with square corners



**Did you know that...**

Our pools save water; with proper maintenance you don't need to empty the pool for several years.





**ALBIXON**  
POOL SOLUTIONS



# SKIMMER POOLS

Time-tested swimming pools in a new design





Now even better, thanks to the possibility of finishing with an elegant X-SHAPE trim .



X-SHAPE Anthracite DB 703



X-SHAPE Silver

	STANDARD POOLS – AVAILABLE AS A SET OR INDIVIDUALLY	CUSTOMIZED POOLS – 100% CUSTOM MADE
 DIMENSIONS	3 x 5 m / 3 x 6 m / 3 x 7 m / 3,5 x 7 m / 3 x 8 m / 3,5 x 8 m / 4 x 8 m	Length: 4–9 m/Width: 2–4 m
 COLOUR	light blue, white, grey	light blue, white, grey
 DEPTH	1,2 / 1,35 / 1,5 m	1,2 / 1,35 / 1,5 m
 SHAPE	a rectangle with square corners	a rectangle with square corners



**Did you know that...**

Optimized placement of nozzles ensures improved water circulation and significantly reduces the consumption of pool chemicals.






**ALBIXON**  
POOL SOLUTIONS

# QUALITY MATERIALS ARE A MUST

Our swimming pools are manufactured using only premium-quality materials developed specifically for swimming pools



We manufacture the pools in blue and grey from material that has been tested in a number of laboratory tests.



For white pools, we have recently started using the POLYSTONE® P copolymer, a material developed by Röchling Engineering Plastics of Germany for the specific purpose of building pools.

The materials are mainly distinguished by UV stabilisation, high mechanical resistance and strength, durability and long service life.



# STEP SHAPES

A range of steps to suit your preferences.

We will manufacture your pool with square corners, allowing you to utilize the maximum space of any pool size.

Whether you are planning fitness swimming, splashing around or relaxing with your family, an ALBIXON pool will always adapt to your needs.


**Straight steps over the corner**



**Straight steps over the corner with a bench**




**Rectangular steps in the corner**




**Rectangular steps\***



\*Rectangular steps are only available for custom pools.



# TECHNOLOGY



*The polypropylene pool is not self-supporting, so it is necessary to follow all the principles of safe concreting specified in the building preparations documentation.*





Technology wall



Technology shaft



Salt dispenser



Filtration



Pump



Heat pump



Swim jet

## Comfort? A top priority!

To make bathing as enjoyable as possible, we have designed swimming pools and technology with an emphasis on ease of operation and maintenance. In general, the more advanced the technology you choose, the less you will have to deal with. Interested in specific options? Just turn to the following pages.

## Where will it go?

To simplify your selection, we have prepared the most popular pool technology combinations as standard solutions. The first option is a technology wall, which you can place, for example, in a garden house, cellar or garage. The other option is a technology shaft, in the ground immediately next to the pool. It is up to you to choose the option which suits you best.

## What type of water treatment should you choose?

Water treatment helps to keep the pool clear and in great condition, with the crucial parameters in balance. The most popular is salt water treatment using a salt dispenser. From the salt water in the pool, the necessary amount of chlorine is produced in a natural concentration to clean the pool water. Salt dispensers have gained in popularity because they offer abundant options for extensions, such as automatic pH adjustment or smart pool technology control.

## Pool technology? What is that?

Pool technology is often nicknamed "the motor of the pool". It is not visible at first glance, but it keeps everything in operation. The circulation pump ensures the water circulation. Then there is sand filtration, which removes mechanical impurities from the pool water. This is followed by a water treatment unit, which keeps the pool water in perfect condition.

**Did you know that our product specialists are directly involved in the development of BRILIX pool equipment? We guarantee its quality!**

# TECHNOLOGY WALLS

## Wide range of placement options

The most convenient access to the pool technology is provided by a technology wall. It can be installed in your garage or garden house. All the pool technology will be protected and easily accessible when necessary.

	BASIC PLUS	ECONOMIC	OXY	UV	STATION
Filtration	BRILIX P500 – 85 kg				
Pump	PREVA 50 – flow rate 9 m <sup>3</sup> /h				
Water treatment	BRILIX NEOSAL	BRILIX HIDROLIFE	BRILIX OXILIFE	BRILIX UV SCENIC	BRILIX STATION
Water	Salt 3 g/l	Salt 3 g/l	Salt 1,5 g/l	Salt 1,5 g/l	Freshwater
Preparation for intelligent pool technology control	X	✓	✓	✓	✓
Heat pump connecting point, discharge connecting point	✓	✓	✓	✓	✓
Possibility of combination with counterflow	✓	✓	✓	✓	✓
Counterflow pump	X	X	X	X	X
Remote control of the pool light	✓	✓	✓	✓	✓
Pipes, fittings, electrical switchboard <sup>1)</sup>	✓	✓	✓	✓	✓
Dimensions (W x H x D)	160 x 140 x 69 cm	160 x 140 x 69 cm	160 x 140 x 69 cm	160 x 140 x 69 cm	160 x 140 x 69 cm
Wall colour	White	White	White	White	White

<sup>1)</sup> The switchboard is equipped with an electrical outlet for the installation of an additional socket.

Still haven't found what you were looking for? It doesn't matter! We will be pleased to tailor the technological equipment for you.



Discover garden sheds designed to safely store pool technology. They combine functionality with aesthetic design, are made from quality materials and require minimal maintenance. They extend the life of equipment, make pool maintenance easier and maintain a clean garden appearance.

# TECHNOLOGY SHAFTS

To be located near the pool

The technology shaft is located close to the pool. It houses all the equipment discreetly. The counterflow drive can also be placed in the shaft in addition to the pool technology.

	BASIC PLUS	ECONOMIC	COMFORTPLUS	OXY	OXY PLUS	UV	UV PLUS	STATION	STATIONPLUS
Filtration	BRILIX P500 – 85 kg								
Pump	PREVA 50 – flow rate 9 m <sup>3</sup> /h								
Water treatment	BRILIX NEOSAL	BRILIX HIDROLIFE		BRILIX OXILIFE		BRILIX UV SCENIC		BRILIX STATION	
Water	Salt 3 g/l	Salt 3 g/l		Salt 1,5 g/l		Salt 1,5 g/l		Freshwater	
Preparation for intelligent pool technology control	X	✓	✓	✓	✓	✓	✓	✓	✓
Heat pump connecting point, discharge connecting point	✓	✓	✓	✓	✓	✓	✓	✓	✓
Counterflow connecting point	X	X	✓	X	✓	X	✓	X	✓
Counterflow pump	X	X	✓ <sup>1)</sup>	X	✓ <sup>1)</sup>	X	✓ <sup>1)</sup>	X	✓ <sup>1)</sup>
Remote control of the pool light	✓	✓	✓	✓	✓	✓	✓	✓	✓
Pipes, fittings, electrical switchboard <sup>2)</sup>	✓	✓	✓	✓	✓	✓	✓	✓	✓
Shaft diameter	120 cm	150 cm	150 cm	150 cm	150 cm	150 cm	150 cm	150 cm	150 cm
Shaft depth	120 cm	120 cm	120 cm	120 cm	120 cm	120 cm	120 cm	120 cm	120 cm
Lid colour	Grey	Grey	Grey	Grey	Grey	Grey	Grey	Grey	Grey

<sup>1)</sup> Standard process shafts have Elegance 70 countercurrent with a three-phase switchboard. Elegance 80 and 95 counterflows are custom built.

<sup>2)</sup> The switchboard is equipped with an electrical outlet for the installation of an additional socket.

Still haven't found what you were looking for? It doesn't matter! We will be pleased to tailor the technological equipment for you.



# ENCLOSURES



**Did you know that...**

Safety, savings, and an extended season are some of the advantages provided to you by an ALBIXON pool enclosure. See for yourself!



# WHY AN ALBIXON ENCLOSURE?

## A safety and design feature in your garden

Thanks to our extensive experience, we can guide you through the entire purchase process, from choosing the right model and size to installing the enclosure over your pool. Elevate your poolside comfort by choosing from a wide selection of pool enclosures, from ultra low to high.

- ➔ Most of the pool enclosures have obtained compliance with the standard AFNOR NF P 30-309 – the structure can withstand wind speeds of 120 km/h, snow weight 60 kg/m<sup>2</sup> and meets the safety requirements for the protection of users
- ➔ Internationally recognized NSF certification that guarantees quality of the materials used and their safety
- ➔ Profiles are painted in our own certified powder coating plant
- ➔ Option of covering
  - compact polycarbonate 4 mm thick with UV protection
  - cellular polycarbonate 8 mm thick with UV protection
  - 4 mm styrene-acrylonitrile with UV protection

### Advantages of pool enclosures


- ➔ 10-year warranty
- ➔ Safety for your children and pets
- ➔ Higher water temperature
- ➔ Water purity
- ➔ Pool maintenance time savings
- ➔ Lower your cost of water treatment chemicals
- ➔ Your bathing season extended
- ➔ Protection of the pool from external influences
- ➔ Swimming in bad weather
- ➔ Pool and home value increased
- ➔ Reduction of water heating costs



# TERRACE ENCLOSURE BERGEN

Swim by day, dance by night!

We are delighted to introduce a fully-fledged mobile terrace that not only covers your pool, but thanks to its high rigidity and load-bearing capacity, also creates additional possibilities for activities and relaxation, thus allowing the full use of your garden all year round.



	BERGEN <sup>1)</sup>
 <b>MAXIMUM ENCLOSED AREA <sup>2)</sup></b>	341,6 × 654 cm
 <b>EXTERNAL STANDARD HEIGHT</b>	16,5 cm
 <b>LOAD CAPACITY PER M<sup>2</sup></b>	250 kg/m <sup>2</sup>
 <b>RAIL</b>	Single-sided rail, walkable surface
 <b>NUMBER OF MODULES</b>	2

<sup>1)</sup> Can be purchased without covering


<sup>2)</sup> Covered area is the inner dimension between the tracks x the outer length of the enclosure



# SYDNEY / SYDNEY CLEAR

Low profile, elegant curves and a modern look

A designer enclosure which we have developed for you in cooperation with automotive designers.



	SYD. AS	SYD. CLEAR AS	SYDNEY A	SYD. CLEAR A	SYD. BD	SYD. CLEAR BD	SYD. BS	SYD. CLEAR BS	SYD. B	SYD. CLEAR B	SYD. C	SYD. CLEAR C
<b>MAX. AREA <sup>3)</sup></b>	352,8 x 565 cm		352,8 x 646 cm		352,8 x 860 cm		402,8 x 752 cm		402,8 x 860 cm		452,8 x 860 cm	
<b>COLOUR</b>	Anthracite DB 703											
<b>RAIL</b>	AIR single-sided, only one rail for the largest module (other modules are railless)											
<b>NUMBER OF MODULES</b>	3	3	3	3	4	4	4	4	4	4	4	4
<b>MODULE PANELS</b>	PK8 <sup>1)</sup>	PK4 <sup>2)</sup>	PK8 <sup>1)</sup>	PK4 <sup>2)</sup>	PK8 <sup>1)</sup>	PK4 <sup>2)</sup>	PK8 <sup>1)</sup>	PK4 <sup>2)</sup>	PK8 <sup>1)</sup>	PK4 <sup>2)</sup>	PK8 <sup>1)</sup>	PK4 <sup>2)</sup>

<sup>1)</sup> PK8 – transparent channel polycarbonate with a thickness of 8 mm with UV protection (Front and rear head always with PK4 panel)

<sup>2)</sup> PK4 – transparent compact polycarbonate with a thickness of 4 mm with UV protection (Front and rear head always with PK4 panel)






<sup>3)</sup> Covered area is the inner dimension between the tracks x the outer length of the enclosure  
The guide rail is not sunk in the ground and can be placed on the left or right, always with an extension.

# SYDNEY MINI

## Enclosures for mini pools

Designer enclosure for mini pools, developed in collaboration with automotive industry designers. Connoisseurs and newcomers alike will appreciate the ultra-low profile, elegant curves, and unique appearance.

Anthracite DB 703

	SYDNEY CLEAR XS	SYDNEY XS	SYDNEY CLEAR MS	SYDNEY MS
 <b>MAX. AREA <sup>3)</sup></b>	352,8 x 379 cm		352,8 x 433 cm	
 <b>COLOUR</b>	Anthracite DB 703		Anthracite DB 703	
 <b>RAIL</b>	AIR single-sided, only one rail		AIR single-sided, only one rail	
 <b>NUMBER OF MODULES</b>	2	2	2	2
 <b>MODULE PANELS</b>	PK4 <sup>1)</sup>	PK8 <sup>2)</sup>	PK4 <sup>1)</sup>	PK8 <sup>2)</sup>

<sup>1)</sup> PK4 – transparent compact polycarbonate with a thickness of 4 mm with UV protection

<sup>2)</sup> PK8 – transparent channel polycarbonate with a thickness of 8 mm with UV protection

<sup>3)</sup> Covered area is the inner dimension between the tracks x the outer length of the enclosure








# CASABLANCA INFINITY

Subtle, yet sophisticated, this is the CASABLANCA INFINITY

A low enclosure, which at first glance seems inconspicuous, it offers many surprises which appeal to everyone.

Anthracite DB 703

	CASABLANCA INFINITY A	CASABLANCA INFINITY B
 <b>MAX. AREA <sup>3)</sup></b>	356,8 x 646 cm	452,8 x 860 cm
 <b>COLOUR</b>	Anthracite DB 703	Anthracite DB 703
 <b>RAIL</b>	AIR double-sided/single-sided <sup>1)</sup>	AIR double-sided/single-sided <sup>1)</sup>
 <b>NUMBER OF MODULES</b>	3	4
 <b>MODULE PANELS</b>	PK4 <sup>2)</sup>	PK4 <sup>2)</sup>

<sup>1)</sup> The left/right position of the track is determined when looking at the largest module from the front. The rail is not sunk into the ground. Each module has its own track. The railless side is equipped with lockable stoppers.

<sup>2)</sup> PK4 – Transparent compact polycarbonate with a thickness of 4 mm with UV protection. This enclosure is manufactured with transparent panels only.

<sup>3)</sup> Covered area is the inner dimension between the tracks x the outer length of the enclosure  
**Still haven't found what you were looking for? It doesn't matter! We will be pleased to tailor the enclosure for you.**



ALBIXON






50

# CASABLANCA INFINITY SKY

Airy elegance

Angled clear glazing, futuristic look, or low-profile AIR tracks. Now with an even airier and more elegant look in the SKY version.

Anthracite DB 703

	CASABLANCA INFINITY SKY A	CASABLANCA INFINITY SKY B
 <b>MAX. AREA <sup>2)</sup></b>	356,8 x 642 cm	452,8 x 854 cm
 <b>COLOUR</b>	Anthracite DB 703	Anthracite DB 703
 <b>RAIL</b>	AIR double-sided	AIR double-sided
 <b>NUMBER OF MODULES</b>	3	4
 <b>MODULE PANELS</b>	PK4 <sup>1)</sup>	PK4 <sup>1)</sup>

<sup>1)</sup> PK4 – transparent compact polycarbonate with a thickness of 4 mm with UV protection

<sup>2)</sup> Covered area is the inner dimension between the tracks x the outer length of the enclosure








# DALLAS / DALLAS CLEAR

Fond of round shapes and graceful curves?

You are sure to love the DALLAS enclosure. It is one of the most popular models and fits into any garden.

Silver

Anthracite DB 703

	DALLAS A	DALLAS CLEAR A	DALLAS B	DALLAS CLEAR B
 <b>MAX. AREA <sup>3)</sup></b>	373,8 x 646 cm		472,8 x 860 cm	
 <b>COLOUR</b>	Silver, Anthracite DB 703		Silver, Anthracite DB 703	
 <b>RAIL</b>	AIR double-sided		AIR double-sided	
 <b>NUMBER OF MODULES</b>	3	3	4	4
 <b>MODULE PANELS</b>	PK8 <sup>1)</sup>	PK4 <sup>2)</sup>	PK8 <sup>1)</sup>	PK4 <sup>2)</sup>

<sup>1)</sup> PK8 – transparent channel polycarbonate with a thickness of 8 mm with UV protection

<sup>2)</sup> PK4 – transparent compact polycarbonate with a thickness of 4 mm with UV protection

<sup>3)</sup> Covered area is the inner dimension between the tracks x the outer length of the enclosure

Still haven't found what you were looking for? It doesn't matter! We will be pleased to tailor the enclosure for you.








# DALLAS SKY CLEAR

## Refined elegance

The combination of sophisticated curves and clean planes gives the Dallas enclosure the hallmark of a top-tier model that appeals to everyone. Its rounded sides, transitioning into a characteristic central area, create an impressive interior space while maintaining minimal external dimensions. The sophisticated Dallas simply suits any garden; the absence of a central arch—typical for the SKY model—further accentuates its elegant appearance and open sense of space.



	DALLAS SKY CLEAR A	DALLAS SKY CLEAR B
 <b>MAX. AREA <sup>2)</sup></b>	373,8 x 642 cm	472,8 x 854 cm
 <b>COLOUR</b>	Silver, Anthracite DB 703	Silver, Anthracite DB 703
 <b>RAIL</b>	AIR double-sided	AIR double-sided
 <b>NUMBER OF MODULES</b>	3	4
 <b>MODULE PANELS</b>	PK4 <sup>1)</sup>	PK4 <sup>1)</sup>

<sup>1)</sup> PK4 – transparent compact polycarbonate with a thickness of 4 mm with UV protection

<sup>2)</sup> Covered area is the inner dimension between the tracks x the outer length of the enclosure








# KLASIK PRO / KLASIK PRO CLEAR

## Minimum height and maximum resistance to snow load

After several years of testing in Nordic conditions, we bring you the durable KLASIK PRO pool enclosure. You will appreciate its **elegant lines, durability and low profile.**

Anthracite DB 703

	KLASIK PRO B	KLASIK PRO CLEAR B
 <b>MAX. AREA</b> <sup>3)</sup>	423,8 x 860 cm	423,8 x 860 cm
 <b>COLOUR</b>	Anthracite DB 703	Anthracite DB 703
 <b>RAIL</b>	AIR double-sided	AIR double-sided
 <b>NUMBER OF MODULES</b>	4	4
 <b>MODULE PANELS</b>	PK8 <sup>1)</sup>	PK4 <sup>2)</sup>

<sup>1)</sup> PK8 – transparent channel polycarbonate with a thickness of 8 mm with UV protection

<sup>2)</sup> PK4 – transparent compact polycarbonate with a thickness of 4 mm with UV protection



<sup>3)</sup> Covered area is the inner dimension between the tracks x the outer length of the enclosure



# KLASIK / KLASIK CLEAR

## Medium-high pool enclosure

It combines the advantages of low and high models. This is the KLASIK enclosure, which will serve you faithfully for many years.



	KLASIK S	KLAS. CLEARS	KLASIK A	KLAS. CLEARA	KLASIK B	KLAS. CLEARB	KLASIK C	KLAS. CLEARC	KLASIK D	KLAS. CLEARD
<b>MAX. AREA</b> <sup>3)</sup>	341,8 x 433 cm		327,8 x 646 cm		423,8 x 860 cm		509,8 x 1073 cm		574,8 x 1286 cm	
<b>COLOUR</b>	Anthracite DB 703		Silver, Anthracite DB 703				Anthracite DB 703			
<b>RAIL</b>	AIR double-sided									
<b>NUMBER OF MODULES</b>	2	2	3	3	4	4	5	5	6	6
<b>MODULE PANELS</b>	PK8 <sup>1)</sup>	SAN <sup>2)</sup>	PK8 <sup>1)</sup>	SAN <sup>2)</sup>	PK8 <sup>1)</sup>	SAN <sup>2)</sup>	PK8 <sup>1)</sup>	SAN <sup>2)</sup>	PK8 <sup>1)</sup>	SAN <sup>2)</sup>

<sup>1)</sup> PK8 – transparent channel polycarbonate with a thickness of 8 mm with UV protection

<sup>2)</sup> SAN – transparent panel with a thickness of 4 mm

<sup>3)</sup> Covered area is the inner dimension between the tracks x the outer length of the enclosure

Still haven't found what you were looking for? It doesn't matter! We will be pleased to tailor the enclosure for you.

# KLASIK SKY CLEAR

## Timeless rounded classic

The KLASIK enclosure transforms your pool into a timeless accessory that will never go out of style. Its signature rounded shape and affordability rightly make this model one of the most well-known and popular types of enclosures, not only locally but throughout Europe. For those who prefer an even airier solution, the SKY model utilizes the absence of a central arch to achieve a more elegant appearance and a more open sense of space.

Silver

Anthracite DB 703

	KLASIK SKY CLEAR A	KLASIK SKY CLEAR B	KLASIK SKY CLEAR C
 <b>MAX. AREA</b> <sup>2)</sup>	327,8 x 642 cm	423,8 x 854 cm	509,8 x 1066 cm
 <b>COLOUR</b>	Silver, Anthracite DB 703	Silver, Anthracite DB 703	Silver, Anthracite DB 703
 <b>RAIL</b>	AIR double-sided	AIR double-sided	AIR double-sided
 <b>NUMBER OF MODULES</b>	3	4	5
 <b>MODULE PANELS</b>	SAN <sup>1)</sup>	SAN <sup>1)</sup>	SAN <sup>1)</sup>

<sup>1)</sup> SAN – transparent panel with a thickness of 4 mm

<sup>2)</sup> Covered area is the inner dimension between the tracks x the outer length of the enclosure



# MONACO FUTURE

This enclosure will become a remarkable decorative feature of any garden

Have fun with your friends by the pool, have fun with the kids in the water, keep in shape or just relax quietly, regardless of the weather outside.



CUSTOM MONACO FUTURE							
 <b>MAX. AREA <sup>4)</sup></b>	Custom dimensions of enclosure						
 <b>COLOUR</b>	Selection of the panel type and colour						
 <b>RAIL</b>	AIR double-sided						
 <b>NUMBER OF MODULES</b>	1	2	3	4	5	6	7
 <b>MODULE PANELS</b>	PK8 <sup>1)</sup> , PK4 <sup>2)</sup> , SAN <sup>3)</sup>						

<sup>1)</sup> PK8 – transparent channel polycarbonate with a thickness of 8 mm with UV protection

<sup>2)</sup> PK4 – transparent compact polycarbonate with a thickness of 4 mm with UV protection

<sup>3)</sup> SAN – transparent panel with a thickness of 4 mm

<sup>4)</sup> Covered area is the inner dimension between the tracks x the outer length of the enclosure

# CASABLANCA

The CASABLANCA enclosure – a dominant landmark of your garden

It is not only a majestic pool enclosure, but also a space for year-round use.

You no longer need worry about the weather for some poolside fun with your family or friends.



CUSTOM CASABLANCA							
✂️ MAX. AREA <sup>3)</sup>	Custom dimensions of enclosure						
🎨 COLOUR	Selection of the panel type and colour						
🚪 RAIL	AIR double-sided / AIR XL double-sided						
📏 NUMBER OF MODULES	1	2	3	4	5	6	7
📐 MODULE PANELS	PK8 <sup>1)</sup> , PK4 <sup>2)</sup>						

<sup>1)</sup> PK8 – transparent channel polycarbonate with a thickness of 8 mm with UV protection

<sup>2)</sup> PK4 – transparent compact polycarbonate with a thickness of 4 mm with UV protection






<sup>3)</sup> Covered area is the inner dimension between the tracks x the outer length of the enclosure

# DALLAS WALL-MOUNTED

The best way to enclose a swimming pool located near a wall?

The solution is the custom DALLAS WALL-MOUNTED enclosure, which offers you an unexpected space in a small footprint.



CUSTOM DALLAS WALL-MOUNTED	
 <b>MAX. AREA <sup>3)</sup></b>	Custom dimensions of enclosure
 <b>COLOUR</b>	Selection of the panel type and colour
 <b>RAIL</b>	AIR rail + Wall-mounted rail
 <b>NUMBER OF MODULES</b>	1      2      3      4      5      6      7
 <b>MODULE PANELS</b>	PK8 <sup>1)</sup> , PK4 <sup>2)</sup>

<sup>1)</sup> PK8 – transparent channel polycarbonate with a thickness of 8 mm with UV protection

<sup>2)</sup> PK4 – transparent compact polycarbonate with a thickness of 4 mm with UV protection

<sup>3)</sup> Covered area is the inner dimension between the tracks x the outer length of the enclosure

## Enclosures – technical details



**Durable polycarbonate** that is stabilized and protects your pool perfectly.

**The enclosure structure** is made of highly resistant profiles. They are smoothly rounded and undergo rigorous testing.

**The stoppers** secure the enclosure against unwanted movement. To increase the safety, we recommend the lockable option.


Rolling on stainless steel encapsulated bearings makes it easy to move the enclosure. Sophisticated hooks prevent the inadvertent lifting of the module.

**The AIR track can be walked on**, is easy to sink into the ground, and provides hidden anchoring elements.





### Compact polycarbonate

The most popular variant is the compact polycarbonate PK4 with a thickness of 4 mm. You will love its elegant appearance and perfect transparency. UV protection as standard and available in 2 colours.



### Channel polycarbonate

The channel polycarbonate PK8 and PK10 with a thickness of 8 or 10 mm is stable. It has excellent insulation capabilities and provides plenty of privacy when swimming under a roof. UV protection as standard and **available in 2 colours**.




### Standard styrene acrylonitrile

An economical option is styrene acrylonitrile SAN with a thickness of 4mm. You will love it especially for its price attractiveness while maintaining a pleasant appearance and high transparency. UV protection as standard and available only in clear.



## Profile colours

The enclosure structure is finished with a durable powder paint in our own specialized and certified paint shop. You can choose from a wide range of colours and decors. For standard enclosures, the colours are fixed; for custom-made enclosures you have the following options:

<b>SILVER</b> Basic colours	<b>ANTHRACITE DB 703</b> Basic colours	<b>PINE</b> Additional colours	<b>CARBON</b> Additional colours	<b>DOUGLAS</b> Additional colours
<b>SHIRE OAK</b> Additional colours	<b>ELM</b> Additional colours	<b>CHESTNUT</b> Additional colours	<b>WALNUT</b> Additional colours	<b>ROVERE</b> Additional colours
<b>ZEBRANO</b> Additional colours	<b>GOLDEN OAK</b> Additional colours	<b>GREEN RAL 6005</b> Additional colours	<b>GREY RAL 7016</b> Additional colours	<b>BRONZO</b> Additional colours
<b>RUSTIK</b> Additional colours	<b>MAHAGON</b> Additional colours	<b>WHITE RAL 9016</b> Additional colours	 <b>PREMIUM COLOURS</b> RAL	

Feel free to come and check our sample book.



**ALBIXON**  
POOL SOLUTIONS



# ACCESSORIES

## Did you know that...

We offer heat pumps, filtration equipment, counterflows, or accessories not requiring installation, such as thermometers and vacuum cleaners. The most popular are devices that help you relax in your pool.



# MOOVER

## Electric movement for the pool enclosure

We have listened to you, and in cooperation with designers from the automotive industry, we have developed an autonomous electric movement system that you can install with serial enclosures made by ALBIXON. The batteries are charged through the solar panel, or from the mains with a power adapter. Installation of the MOOVER is straight forward.

We are proud to announce that our innovative MOOVER product has received a prestigious Red Dot Award 2023 for product design.



# MOOVER



### SPECIFICATIONS

#### DIMENSIONS

Length: 1157 mm | Width: 80 mm (without mounting brackets and external connectors) | Width: 110 mm (with mounting brackets) | Height: 163 mm

#### WEIGHT

MOOVER weight (incl. battery): 27 kg | Weight of package: 30 kg

#### DRIVE

Gearbox type: auger | Motor power: 150 W



reddot winner 2023

# POOL ACCESSORIES

We make sure that we are a one-stop pool shop for you. That is why you will find a wide range of pool accessories here.



Pool robots and vacuum cleaners



Heat pumps



Salt dispensers



Filtration pumps



Sand filters



Lighting

## Why BRILIX accessories?

- ➔ High-quality components
- ➔ Optimal price/quality ratio
- ➔ A reliable solution for your swimming pool

- ➔ Short delivery times within the EU
- ➔ Complete range of products

BRILIX accessories can now be comfortably controlled using the mobile app.  
[APP.BRILIX.com](https://www.app.brilix.com)



## ALBIXON

78

1990

### ESTABLISHMENT

Our history dates back to 1990, when the Smetana brothers founded the company under the name ALBION. At that time, no one had any idea that it would later become a leading player in the swimming pool industry throughout Europe.

2011

### ALBION → ALBIXON

New company name. And the founders put it simply: "The name Albion referred to England, as we have always admired their business culture and freedom. But people mistook us for other companies, so we added an 'X' to create ALBIXON."

2012

### NEW POWDER PAINT SHOP

We open a new powder paint shop with the modern DECORAL line, which allows us to use dozens of colours, designs and patterns, not only for our enclosures, but also for many external customers and their various projects in and outside the Czech Republic.

2025

### SPAS & SAUNAS

Launching the sale of spas and saunas as part of the long-term expansion of our product portfolio.

1995

### SWIMMING POOLS ON THE RISE

ALBION is fully engaged in the production of swimming pools and thanks to the first series pools, the production volumes are growing rapidly. Despite this, demand far exceeds supply, and ambitious plans for the coming years are born in the founders' minds.

2006

### BRILIX

Customers no longer want just a pool and an enclosure, but demand a complete pool set from a single supplier. Complexity has become a challenge for us and room for further growth. We responded by creating the BRILIX division, specialising in the sale of our own pool accessories.

2014

### SKYTRIUM

We listened to the wishes of our customers and offer a solution connecting gardens and family homes. This is how the SKYTRIUM terrace enclosure was created – the garden and the house.

2023

### BERGEN

In line with our new mission and vision, we are launching the BERGEN pool terrace enclosure. With the MOOVER electric moving system, we have received the prestigious Red Dot Award 2023 for product design.

1998

### PRODUCTION OF ENCLOSURES

We respond to the increasingly urgent demands of our customers and include pool enclosures in our product portfolio. These soon became our flagship product and their popularity is growing every year.

2004

### ENCLOSURES IN BOX

We started offering our enclosures in a BOX. The advantages include the considerable savings in the cost of transportation, simple assembly and speed of delivery. We established the IDEALCOVER brand (later renamed ALBIXON BOX) for the export of these enclosures.

2017

### QBIG POOLS

We launch a design solution for the QBIG series of swimming pools protected by a utility model. Thanks to the built-in lost formwork on the outside of the pool, we can speed up the construction work, saving our customers' time and money.

2022

### MOOVER

Introducing MOOVER – the universal solution and autonomous enclosure sliding solution. We listened to our customers and, in cooperation with automotive designers, we developed an electric sliding system with an elegant design that operates pool enclosures at the touch of a button.

2001

### POWDER PAINT SHOP

ALBION's first powder paint shop launched in Hořovice significantly supports the production of enclosures and at the same time meets the demand of external customers.

2002

In the first decade of operation, we became a strong player on the Czech market. We then took the opportunity and decided to expand and sell our products abroad, through official B2B partners. First we took it to the neighbouring German market.

2019

### SYDNEY & X-FLOW

The year 2019 was full of new achievements reported by our development team. We expand our product portfolio with the elegant and unique SYDNEY serial enclosure system and the luxurious MIAMI customized roofing. We also add our own X-FLOW overflow grid to differentiate ourselves in the market.

2021

### 3D PRINTING

We are investing in 3D printing and strengthening our development capabilities. Thanks to professional prototypes and our own production of plastic, we are opening the door to further innovations for our customers.

The logo for ALBIXON, featuring the brand name in a bold, white, sans-serif font inside a blue oval with a white border.

POOL SOLUTIONS